SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 914614
Product name VISOCOLOR B-case CAL-Refill, 4x100mL

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

4 x 100 mL CAL stock solution

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
Product for analytical use.
Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
The exposure scenario is integrated into sections 1-16.
Uses advised against
not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11, 52355 Düren, GERMANY
Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Information not necessary.

You find our current versions of SDS (22 languages) in Internet: **http://www.mn-net.com/SDS**

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

100 mL CAL stock solution

Do not need labelling as hazardous
Signal word -

No hazard class

2.2 Label elements

100 mL CAL stock solution

Do not need labelling as hazardous
Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties
According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.
An individual package has considerably less hazardous potential. ---

Information pertaining to particular risks to human and possible symptoms
---

Information pertaining to particular risks to the environment
---

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

100 mL CAL stock solution

Chemical: *calcium acetate* — CAS No.: 62-54-4
Classification: No criteria for classification or naming of chemical not required.
Formula: $Ca(CH_3COO)_2$
Pseudonym: Acetic acid, calcium salt (2:1)
TSCA Inventory: listed
REACH Reg. No.: 01-2119987569-11-xxxx
EC No.: 200-540-9
RTECS: AF75250000 — MFCD: 00012448
Concentration: 1 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *acetic acid* — CAS No.: 64-19-7
Classification: H226, Flam. Liq. 3, H314, Skin Corr. 1B
Formula: $C_2H_4O_2$; CH_3-COOH
TSCA Inventory: listed
REACH Reg. No.: 01-2119475328-30-xxxx
EC No.: 200-580-7 — Indice No.: 607-002-00-6
RTECS: AF1225000 — MFCD: 00036152
KE No.: KE-00013
Concentration: 1 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

- - -

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact
Not necessary.

4.1.2 After EYE Contact
Not necessary.

4.1.3 After INHALATION of vapours
Not necessary. ---

4.1.4 After ORAL Intake
Not necessary. ---

4.2 Most important symptoms and effects, both acute and delayed

---

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

None.

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Not necessary.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI):	8B
Water hazard class (DE):	1

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

100 mL CAL stock solution

Chemical: *calcium acetate* CAS No.: 62-54-4

Chemical: *acetic acid* CAS No.: 64-19-7

DNEL: [loc, inh] 25 mg/m³
DNEL = Derived No-Effect Level (for workers)

$PNEC_{(fresh\ water)}$: 3.058 mg/L
PNEC = Predicted No Effected Concentration

EU value: [TWA] 25 / [STEL] 50 mg/m³

TRGS 900 (DE): 10 mL/m³ / 25 mg/m³
E/e respirable

Short-term exposure factor: 2(I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 10 ppm / 25 mg/m³

NIOSH: [TWA] 10 ppm / 25 mg/m³ ; [STEL] 15 ppm / 37 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 10 ppm / 25 mg/m³

8.2 Exposure controls

Not necessary.Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities.

8.2.1 Respiratory protection

Not necessary.

8.2.2 Hand protection

Not necessary.

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

8.2.3 **Eye protection**
Not necessary.

8.2.4 **Skin protection**
Not necessary.

8.2.5 **Personal hygiene**
Information not necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

100 mL CAL stock solution

Appearance: liquid	Colour: colourless	Odor: acetic
pH:	2-3	
Specific gravity:	1,02 g/cm³	
Solubility in water:	0-100 %	

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.
Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity
None

10.2 Chemical stability
No known instability.

10.3 Possibility of hazardous reactions
None.

10.4 Conditions to avoid
Not known. ---

10.5 Incompatible materials
Not known.

10.6 Hazardous decomposition products
In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects
Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

100 mL CAL stock solution

Chemical: *calcium acetate* CAS No.: 62-54-4
TSCA Inventory: listed
$LD50_{orl\ rat}$: 4280 mg/kg

Chemical: *acetic acid* CAS No.: 64-19-7
TSCA Inventory: listed California Proposition 65 List: not listed
Exposure Routes: inhalation, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, teeth
Symptoms: irritation eyes, skin, nose, throat; eye, skin burns; skin sensitization; dental erosion; black skin, hyperkeratosis; conjunctivitis, lacrimation (di
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-00013
$LD50_{orl\ rat}$: 3310 mg/kg

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

$LC50_{inh\ rat}$:	[4h] 8.5-12,7 mg/L
$LD50_{drm\ rbt}$:	1060 mg/kg
$LD50_{oral\ mouse}$:	4960 mg/kg

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

100 mL CAL stock solution

Chemical: *calcium acetate* CAS No.: 62-54-4

Water hazard class (DE):	1
Storage class (VCI):	12-13

Chemical: *acetic acid* CAS No.: 64-19-7

$PNEC_{(fresh\ water)}$:	3.058 mg/L

PNEC = Predicted No Effected Concentration

$LC50_{fish/96h}$:	[4d] 301-1000 mg/L
$EC50_{daphnia/48h}$:	301-1000 mg/L
$IC50_{scenedesmus\ quadricauda/72h}$:	301-1000 mg/L
Water hazard class (DE):	1 WGK No.: 0093
$Dispersion\ coefficient_{(octanol-water)}$:	-0,17
Storage class (VCI):	8 B

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains. Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 - 14.4 Not necessary

14.5 Environmental hazards

none

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
MN Leaflet/User manual, also see www.mn-net.com
Look for your country-specific regulations.

15.2 Chemical safety assessment

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

16.1.2 List of relevant P phrases

16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

None

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 849/2021/EU, 4th adaptation of CLP regulation to technical and scientific progress
TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
SUVA .CH, Limits in air at work 2009, revised on 01.2009
KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates
Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com