## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

REF 931041
Product name VISOCOLOR ECO Nitrate

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 30 mL $NO_3$ -1
1 x 5 g $NO_3$ -2

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**
Product for analytical use.
Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
The exposure scenario is integrated into sections 1-16.
**Uses advised against**
not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**
MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11, 52355 Düren, GERMANY
Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: **http://www.mn-net.com/SDS**

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product



GHS09

Signal word

| Hazard identification | Hazard classes/categories |
|---|---|
| H411 | Aquatic Chronic 2 |

### 2.1 Classification of the substance or mixture

**30 mL $NO_3$ -1**

Do not need labelling as hazardous

Signal word -

No hazard class

**5 g $NO_3$ -2**



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

MACHEREY-NAGEL ISO 9001 CERTIFIED
Version: M V 4.12.0



GHS09

| | |
|---|---|
| Signal word | Do not need labelling as hazardous |

| Hazard identification | Hazard classes/categories |
|---|---|
| H411 | Aquatic Chronic 2 |

### 2.2 Label elements

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

**30 mL $NO_3$ -1**

Do not need labelling as hazardous
Signal word: -

**5 g $NO_3$ -2**



GHS09

Signal word: -

### 2.3 Other hazards

**Possible hazards from physicochemical properties**
---

**Information pertaining to particular risks to human and possible symptoms**
---

**Information pertaining to particular risks to the environment**
---

**Other hazards**
---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances or 3.2 Mixtures

**30 mL $NO_3$ -1**

| | | | |
|---|---|---|---|
| Chemical: | *m-phenylenediammonium dichloride* | | CAS No.: 541-69-5 |
| Classification: | No criteria for classification or naming of chemical not required. | | |
| Formula: | $C_6 H_{10} Cl_2 N_2$ | | |
| Pseudonym: | 1,3-benzenediamine, dihydrochloride | | |
| TSCA Inventory: | listed | | |
| EC No.: | 208-790-0 | Indice No.: | 612-148-00-9 |
| RTECS: | SS9800000 | MFCD: | 00012975 |
| KE No.: | KE-05-1004, >25% Toxic 97-1-334 | | |
| Concentration: | < 0.10 % | | |
| acc. CLP (GHS): | The criteria for classification are not fulfilled. | | |



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Chemical: *citric acid* CAS No.: 77-92-9
Classification: H303, Acute Tox. 5 oral, H316, Skin Irrit. 3, H319, Eye Irrit. 2, H335, STOT SE 3
Formula: $C_6 H_8 O_7$
Pseudonym: 2-hydroxy-1,2,3-propanetricarboxylic acid
TSCA Inventory: listed
REACH Reg. No.: 01-2119457026-42-xxxx
EC No.: 201-069-1
RTECS: GE7350000/GE7810000
KE No.: KE-20831
Concentration: 1 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

**5 g $NO_3$ -2**

Chemical: *zinc powder (stabilizied)* CAS No.: 7440-66-6
Classification: H410, Aquatic Chronic 1
Formula: Zn
TSCA Inventory: listed
REACH Reg. No.: 01-2119467174-37-xxxx
EC No.: 231-175-3 Indice No.: 030-002-01-9
RTECS: ZG8600000
KE No.: KE-35518
Concentration: 2.5 - <10 %
acc. CLP (GHS): H411, Aquatic Chronic 2

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

**4.1.1 After SKIN Contact**
Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

**4.1.2 After EYE Contact**
After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

**4.1.3 After INHALATION of vapours**
After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

**4.1.4 After ORAL Intake**
After oral intake lots of water should be drunk after it has been ingested. ---

### 4.2 Most important symptoms and effects, both acute and delayed

---

### 4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

### 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible. ---

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

### 5.4 Additional information

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary.

### 6.2 Environmental precautions

not necessary, contains only small amounts of these substances

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.
Collect small amounts of leaked liquid and flush with water into drains.

### 6.4 Reference to other sections

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

### 7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.
Storage class (VCI): 6.1D
Water hazard class (DE): 3

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**30 mL $NO_3$ -1**
Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
TRGS 900 (DE): - ($0.1E_{alt}$) mg/m³
E/e respirable
Short-term exposure factor: 2 (II)
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

Chemical: *citric acid* CAS No.: 77-92-9
$PNEC_{(fresh\ water)}$: 440 mg/L
PNEC = Predicted No Effected Concentration
TRGS 900 (DE): 2 E mg/m³
E/e respirable
Short-term exposure factor: 2 (I) Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

**5 g $NO_3$ -2**
Chemical: *zinc powder (stabilizied)* CAS No.: 7440-66-6
DNEL: $1_{inh}$ mg/m³
DNEL = Derived No-Effect Level (for workers)
TRGS 900 (DE): 0.1A / 2E mg/m³
E/e respirable

### 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

**8.2.1** **Respiratory protection**
No additional recommendations.

**8.2.2** **Hand protection**
Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

**8.2.3** **Eye protection**
Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

**8.2.4** **Skin protection**
Not necessary.

**8.2.5** **Personal hygiene**
Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**30 mL $NO_3$ -1**

| | | |
|---|---|---|
| Appearance: liquid | Colour: rose | Odor: odorless |
| pH: | 2-3 | |

**5 g $NO_3$ -2**

| | | |
|---|---|---|
| Appearance: powder (solid) | Colour: slightly grey | Odor: odorless |
| pH: | 6,5-7,5 | |

### 9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.
**Relevant Properties of Substance Group**
---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity
no further data available.

### 10.2 Chemical stability
No known instability.

### 10.3 Possibility of hazardous reactions
No further data available.

### 10.4 Conditions to avoid
---

### 10.5 Incompatible materials

### 10.6 Hazardous decomposition products
In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects
**Following information is valid for pure substances.** Quantitative data on the toxicity of this product are not available.

**30 mL $NO_3$ -1**

Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-05-1004, >25% Toxic 97-1-334
$LD50_{orl\ rat}$: 280 mg/kg

EU carcinogen: mut. 3
TRGS 905 (DE): K3B, M3



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

TRGS 907 (DE): Sh

Chemical: *citric acid* CAS No.: 77-92-9
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-20831
$LD50_{orl\ rat}$ : >3000 mg/kg
$LC50_{ihl\ rat}$ : 5800 mg/m³
$LD50_{drm\ rat}$ : >2000 mg/kg
$LD50_{orl\ mus}$ : 5400 mg/kg
$LD50_{scu\ rat}$ : 5500 mg/kg

**5 g $NO_3$ -2**

Chemical: *zinc powder (stabilizied)* CAS No.: 7440-66-6
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-35518
$LD50_{orl\ rat}$ : >2000 mg/kg
$LC_Low_{inh\ hmn}$ : $124_{50min}$ mg/m³
$LC50_{ihl\ rat}$ : >$5.4_{4h}$ mg/m³

## SECTION 12: Ecological information

### 12.1 Toxicity

**Following information is valid for pure substances.**

**30 mL $NO_3$ -1**

Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
Water hazard class (DE): 3 WGK No.: 1312
Storage class (VCI): 6.1 D

Chemical: *citric acid* CAS No.: 77-92-9
$PNEC_{(fresh\ water)}$ : 440 mg/L
PNEC = Predicted No Effected Concentration
$LC50_{leuciscus\ idus/96h}$ : 440-760 mg/L
$EC50_{daphnia/48h}$ : $1535_{24h}$ mg/L
$IC50_{scenedesmus\ quadricauda/72h}$ : 7d: 425-640 mg/L
$EC10_{pseudomonas\ putita/16h}$ : EC0: >10 g/L
Water hazard class (DE): 1 WGK No.: 0057
$Dispersion\ coefficient_{(octanol\text{-}water)}$ : -1.72
Storage class (VCI): 12-13

**5 g $NO_3$ -2**

Chemical: *zinc powder (stabilizied)* CAS No.: 7440-66-6
Toxic to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.
Environmental hazards must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).
$LC50_{fish/96h}$ : 2.01 mg/L
$EC50_{daphnia/48h}$ : 0.131 mg/L
$EC50_{pseudokirchneriella\ subcapitata/72h}$ : IC50: 0.713 mg/L
Water hazard class (DE): 2 WGK No.: 7325
Storage class (VCI): 13

### 12.2 Persistence and degradability

not necessary

### 12.3 Bioaccumulative potential

not necessary

### 12.4 Mobility in soil

not necessary

### 12.5 Results of PBT and vPvB assessment



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

no data available

### 12.6 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

### 13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

## SECTION 14: Transport information

**14.1 - 14.4:** No dangerous goods according the transport regulations

### 14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

### 14.6 Special precautions for user

not necessary

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011
MN Leaflet/User manual, also see www.mn-net.com
Look for your country-specific regulations.

### 15.2 Chemical safety assessment

**not necessary for these small amounts ---**

## SECTION 16: Other information

### 16.1 List of H and P phrases

**16.1.1 List of relevant H phrases**

| | |
|---|---|
| H411 | Toxic to aquatic life with long lasting effects. |

**16.1.2 List of relevant P phrases**

| | |
|---|---|
| P273 | Avoid release to the environment. |

### 16.2 Training advice

Regular safety training.

### 16.3 Recommended restriction on use

Only for professional user.
An individual package of this product or test kit has a moderate hazardous potential.

### 16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

| DE / international: | CH: | FR: | US: |
|---|---|---|---|
| Tel.: +49 24 21 969-0 | Tel.: +41 62 388 55 00 | Tel.: +33 388 68 22 68 | Tel.: +1 484 821 0984 |
| Fax: +49 24 21 969-199 | Fax: +41 62 388 55 05 | Fax: +33 388 51 76 88 | Fax: +1 484 821 1272 |
| E-mail: info@mn-net.com | E-mail: sales-ch@mn-net.com | E-mail: sales-fr@mn-net.com | E-mail: sales-us@mn-net.com |

### 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 849/2021/EU, 4th adaptation of CLP regulation to technical and scientific progress
TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
SUVA .CH, Limits in air at work 2009, revised on 01.2009
KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

**Revisions/Updates**
*Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU*



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

DE / international:
Tel.: +49 24 21 969-0
Fax: +49 24 21 969-199
E-mail: info@mn-net.com

CH:
Tel.: +41 62 388 55 00
Fax: +41 62 388 55 05
E-mail: sales-ch@mn-net.com

FR:
Tel.: +33 388 68 22 68
Fax: +33 388 51 76 88
E-mail: sales-fr@mn-net.com

US:
Tel.: +1 484 821 0984
Fax: +1 484 821 1272
E-mail: sales-us@mn-net.com