SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 933200
Product name VISOCOLOR School reagent case Refill set

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 8 mL GH-1
1 x 30 mL GH-2
1 x 24 mL pH-1
1 x 30 mL NH_4 -1
1 x 2,5 g NH_4 -2
1 x 10 mL NH_4 -3
1 x 30 mL NO_3 -1
1 x 5 g NO_3 -2
1 x 30 mL NO_2 -1
1 x 5 g NO_2 -2
1 x 25 mL PO_4 -1
1 x 25 mL PO_4 -2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
Product for analytical use.
Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
The exposure scenario is integrated into sections 1-16.
Uses advised against
not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11, 52355 Düren, GERMANY
Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: **http://www.mn-net.com/SDS**

SECTION 2: Hazard identification

2.0 Classification of the complete product



GHS02 GHS05 GHS07 GHS09

Signal word DANGER

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Hazard identification	Hazard classes/categories
EUH031	031 not defined
H225	Flam. Liq. 2
H226	Flam. Liq. 3
H290	Met. Corr. 1
H314	Skin Corr. 1A
H315	Skin Irrit. 2
H318	Eye Dam. 1
H319	Eye Irrit. 2
H411	Aquatic Chronic 2
H412	Aquatic Chronic 3

2.1 Classification of the substance or mixture

8 mL GH-1



GHS02 GHS07

Signal word WARNING

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H315	Skin Irrit. 2
H319	Eye Irrit. 2

30 mL GH-2

Do not need labelling as hazardous

Signal word -

No hazard class

24 mL pH-1



GHS02

Signal word DANGER

Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2

30 mL NH_4 -1



GHS05

Signal word DANGER

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1
H314	Skin Corr. 1A

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

2,5 g NH_4 -2

Do not need labelling as hazardous

Signal word -

No hazard class

10 mL NH_4 -3



GHS02 GHS05

Signal word DANGER

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H314	Skin Corr. 1B
H412	Aquatic Chronic 3

30 mL NO_3 -1

Do not need labelling as hazardous

Signal word -

No hazard class

5 g NO_3 -2



GHS09

Signal word Do not need labelling as hazardous

Hazard identification	Hazard classes/categories
H411	Aquatic Chronic 2

30 mL NO_2 -1

Do not need labelling as hazardous

Signal word -

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1

5 g NO_2 -2

Do not need labelling as hazardous

Signal word -

No hazard class

25 mL PO_4 -1

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



GHS07

Signal word	WARNING

Hazard identification	Hazard classes/categories
H315	Skin Irrit. 2
H319	Eye Irrit. 2

25 mL PO_4 -2



GHS05

Signal word	DANGER

Hazard identification	Hazard classes/categories
EUH031	031 not defined
H318	Eye Dam. 1

2.2 Label elements

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).
Metal corrosive solutions**do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

8 mL GH-1



GHS02 GHS07

Signal word: WARNING

30 mL GH-2

Do not need labelling as hazardous
Signal word: -

24 mL pH-1



GHS02

Signal word: DANGER

30 mL NH_4 -1



GHS05

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

DE / international:
Tel.: +49 24 21 969-0
Fax: +49 24 21 969-199
E-mail: info@mn-net.com

CH:
Tel.: +41 62 388 55 00
Fax: +41 62 388 55 05
E-mail: sales-ch@mn-net.com

FR:
Tel.: +33 388 68 22 68
Fax: +33 388 51 76 88
E-mail: sales-fr@mn-net.com

US:
Tel.: +1 484 821 0984
Fax: +1 484 821 1272
E-mail: sales-us@mn-net.com

Signal word: DANGER

H314
Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310
Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2,5 g NH_4 -2

Do not need labelling as hazardous
Signal word: -

10 mL NH_4 -3



GHS02 GHS05

Signal word: DANGER

H314, H412
Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

P260sh, P280sh, P303+361+353, P305+351+338, P310
Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

30 mL NO_3 -1

Do not need labelling as hazardous
Signal word: -

5 g NO_3 -2



GHS09

Signal word: -

30 mL NO_2 -1

Do not need labelling as hazardous
Signal word: -

5 g NO_2 -2

Do not need labelling as hazardous
Signal word: -

25 mL PO_4 -1



GHS07

Signal word: WARNING

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

25 mL PO_4 -2



GHS05

Signal word: DANGER

H318
Causes serious eye damage.

P280sh, P305+351+338, P310
Wear protective gloves/eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Possible hazards from physicochemical properties
Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. H290 "May be corrosive to metals." has only relevance for higher concentrations and larger amounts. The labelling GHS05 would be creating an "OVERLABELLING" (see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3., until 125 mL no labelling necessary). ---

Information pertaining to particular risks to human and possible symptoms
Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.
-

Information pertaining to particular risks to the environment
Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.
PBT: not applicable
vPvB: not applicable

Other hazards
Contains an odor intensive reagent. ---

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

8 mL GH-1

Chemical: *triethanolamine* CAS No.: 102-71-6
Classification: H315, Skin Irrit. 2, H319, Eye Irrit. 2, H335, STOT SE 3
Formula: $C_6H_{15}NO_3$
Pseudonym: 2,2',2"-nitrilotriethanol; tris(2-hydroxyethyl)amine
TSCA Inventory: listed
REACH Reg. No.: 01-2119486482-31-xxxx
Dual-use: The application of this chemical is exempt from the regulation 2017/2268/EU (see IC350 remark 4).
EC No.: 203-049-8
RTECS: KL9275000
KE No.: KE-25940
Concentration: 20 - <45 %
acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2

Chemical: *ethanol* CAS No.: 64-17-5
(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)
Classification: H225, Flam. Liq. 2
Formula: C_2H_6O; C_2H_5OH
Pseudonym: ethyl alcohol, methylated spirit
TSCA Inventory: listed
REACH Reg. No.: 01-2119457610-43-xxxx
EC No.: 200-578-6 Indice No.: 603-002-00-5
RTECS: KQ6300000 MFCD: 00003568
KE No.: KE-13217
Concentration: 20 - <35 %
acc. CLP (GHS): H226, Flam. Liq. 3

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Chemical: *indicator dye(s)* CAS No.: -
Classification: No criteria for classification or naming of chemical not required.
TSCA Inventory: all listed, <1%
Concentration: 0.1 - <1 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

30 mL GH-2

Chemical: *ammonia solution* CAS No.: 1336-21-6
Classification: H314, Skin Corr. 1B, H335, STOT SE 3, H400, Aquatic Acute 1
Formula: $NH_3 \cdot H_2O$
Pseudonym: ammonium hydroxide, Aqua ammonia, aqueous ammonia
TSCA Inventory: listed
REACH Reg. No.: 01-2119488876-14-xxxx, 01-2119982985-14-XXXX
EC No.: 215-647-6 Indice No.: 007-001-01-2
RTECS: BQ9625000 MFCD: 00011418
KE No.: KE-01688, >10% Toxic 97-1-184
Concentration: 0.1 - <1 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *ethylendinitrilo tetraacetic acid, di Na-salt (EDTA-Na)* CAS No.: 6381-92-6
Classification: H332, Acute Tox. 4 inh., H373, STOT RE 2
Formula: $C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$
TSCA Inventory: listed (CAS 139-33-3)
EC No.: 205-358-3
RTECS: AH4410000; AH4375000 MFCD: 00150037
Concentration: 0.1 - <1 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

24 mL pH-1

Chemical: *methyl red (pH indicator)* CAS No.: 493-52-7
Classification: No criteria for classification or naming of chemical not required.
Formula: $C_{15}H_{15}N_3O_2$
Pseudonym: 4-(dimethylamino)-azobenzene-1,2'-carbonic acid
TSCA Inventory: listed
EC No.: 207-776-1
RTECS: DG8960000 MFCD: 00002425
KE No.: KE-06693
Concentration: < 0.10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *ethanol* CAS No.: 64-17-5
(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)
Classification: H225, Flam. Liq. 2
Formula: C_2H_6O; C_2H_5OH
Pseudonym: ethyl alcohol, methylated spirit
TSCA Inventory: listed
REACH Reg. No.: 01-2119457610-43-xxxx
EC No.: 200-578-6 Indice No.: 603-002-00-5
RTECS: KQ6300000 MFCD: 00003568
KE No.: KE-13217
Concentration: 90 - <98 %
acc. CLP (GHS): H225, Flam. Liq. 2

Chemical: *phenolphthalein (pH indicator)* CAS No.: 77-09-8
Classification: H341, Muta. 2, H350, Carc. 1A, H361f, Repr. 2
Formula: $C_{20}H_{14}O_4$
Pseudonym: 3,3-bis(4-hydroxyphenyl)-1(3H)-isobenzofuranone
TSCA Inventory: listed
REACH Reg. No.: 01-2119498295-24-0000
SVHC listed: **YES (> 1%)**
EC No.: 201-004-7 Indice No.: 604-076-00-1
RTECS: SM8380000 MFCD: 00005913
KE No.: KE-03234
Concentration: 0.01 - <0.1 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Chemical: *indicator dye(s)* CAS No.: -
Classification: No criteria for classification or naming of chemical not required.
TSCA Inventory: all listed, <1%
Concentration: 0.01 - <0.1 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

30 mL NH_4 -1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
Classification: H290, Met. Corr. 1, H314, Skin Corr. 1B
Formula: $NaOH•H_2O$
Pseudonym: soda lye
TSCA Inventory: listed
REACH Reg. No.: 01-2119457892-27-xxxx
EC No.: 215-185-5 Indice No.: 011-002-00-6
RTECS: WB4900000
KE No.: KE-31487
Concentration: 5 - <10 %
acc. CLP (GHS): H290, Met. Corr. 1, H314, Skin Corr. 1B

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3
Classification: No criteria for classification or naming of chemical not required.
Formula: $C_6H_5Na_3O_7•2H_2O$
TSCA Inventory: listed (CAS 68-04-2)
REACH Reg. No.: 01-2119457027-40-xxxx
EC No.: 200-675-3
RTECS: GE8300000
KE No.: KE-20843
Concentration: 10 - <20 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

2,5 g NH_4 -2

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9
Classification: H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H335, STOT SE 3, H410, Aquatic Chronic 1, EUH031, 031 not defined
Formula: $C_3Cl_2N_3NaO_3$
Pseudonym: troclosene sodium, sodium 3,5-dichloro-2,4,6-trioxo-1,3,5-triazinan-1-ide
TSCA Inventory: listed
REACH Reg. No.: 01-2119489371-33-xxxx
EC No.: 220-767-7 Indice No.: 613-030-01-7
RTECS: XZ1900000 MFCD: 00006036
KE No.: KE-10215, >25% Toxic 2014-1-688
Concentration: 3 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *sodium chloride* CAS No.: 7647-14-5
Classification: No criteria for classification or naming of chemical not required.
Formula: NaCl
Pseudonym: salt
TSCA Inventory: listed
REACH Reg. No.: exempt, Annex V
EC No.: 231-598-3
RTECS: VZ4725000
KE No.: KE-31387
Concentration: 80 - <100 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

10 mL NH_4 -3

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
Classification: H301, Acute Tox. 3 oral
Formula: $Na_2[Fe(CN)_5NO]_2 \cdot 2H_2O$
Pseudonym: disodium pentacyanonitrosylferrate
TSCA Inventory: listed (CAS 14402-89-2)
EC No.: 238-373-9
RTECS: LJ89250000
KE No.: not listed
Concentration: 1 - <5 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *ethanol* CAS No.: 64-17-5
(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)
Classification: H225, Flam. Liq. 2
Formula: C_2H_6O; C_2H_5OH
Pseudonym: ethyl alcohol, methylated spirit
TSCA Inventory: listed
REACH Reg. No.: 01-2119457610-43-xxxx
EC No.: 200-578-6 Indice No.: 603-002-00-5
RTECS: KQ6300000 MFCD: 00003568
KE No.: KE-13217
Concentration: 35 - <55 %
acc. CLP (GHS): H226, Flam. Liq. 3

Chemical: *thymol* CAS No.: 89-83-8
Classification: H302, Acute Tox. 4 oral, H314, Skin Corr. 1B, H411, Aquatic Chronic 2
Formula: $C_{10}H_{14}O$
Pseudonym: 5-methyl-2-(1-methylethyl)-phenol
TSCA Inventory: listed
REACH Reg. No.: 01-2119511177-46-xxxx
EC No.: 201-944-8 Indice No.: 604-032-00-1
RTECS: XP2275000 MFCD: 00002309
KE No.: KE-24420
Concentration: 5 - <10 %
acc. CLP (GHS): H314, Skin Corr. 1B, H412, Aquatic Chronic 3

30 mL NO_3 -1

Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
Classification: No criteria for classification or naming of chemical not required.
Formula: $C_6H_{10}Cl_2N_2$
Pseudonym: 1,3-benzenediamine, dihydrochloride
TSCA Inventory: listed
EC No.: 208-790-0 Indice No.: 612-148-00-9
RTECS: SS9800000 MFCD: 00012975
KE No.: KE-05-1004, >25% Toxic 97-1-334
Concentration: < 0.10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *citric acid* CAS No.: 77-92-9
Classification: H303, Acute Tox. 5 oral, H316, Skin Irrit. 3, H319, Eye Irrit. 2, H335, STOT SE 3
Formula: $C_6H_8O_7$
Pseudonym: 2-hydroxy-1,2,3-propanetricarboxylic acid
TSCA Inventory: listed
REACH Reg. No.: 01-2119457026-42-xxxx
EC No.: 201-069-1
RTECS: GE7350000/GE7810000
KE No.: KE-20831
Concentration: 1 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

5 g NO_3 -2

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Chemical: *zinc powder (stabilizied)* CAS No.: 7440-66-6
Classification: H410, Aquatic Chronic 1
Formula: Zn
TSCA Inventory: listed
REACH Reg. No.: 01-2119467174-37-xxxx
EC No.: 231-175-3 Indice No.: 030-002-01-9
RTECS: ZG8600000
KE No.: KE-35518
Concentration: 2.5 - <10 %
acc. CLP (GHS): H411, Aquatic Chronic 2

30 mL NO_2 -1

Chemical: *sulfanilamide* CAS No.: 63-74-1
Classification: H303, Acute Tox. 5 oral
Formula: $C_6 H_8 N_2 O_2 S$
Pseudonym: 4-aminobenzene sulfonamide
TSCA Inventory: listed
EC No.: 200-563-4
RTECS: WO8400000 MFCD: 00007939
KE No.: KE-01188
Concentration: 1 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
Classification: H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H314, Skin Corr. 1B
Formula: $H_3 PO_4 \cdot H_2 O$
Pseudonym: orthophosphoric acid
TSCA Inventory: listed
REACH Reg. No.: 01-2119485924-24-xxxx
EC No.: 231-633-2 Indice No.: 015-011-00-6
RTECS: TB6300000
KE No.: KE-27427
Concentration: 1 - <10 %
acc. CLP (GHS): H290, Met. Corr. 1

5 g NO_2 -2

Chemical: *N-(1-naphthyl)-ethylendiamine dihydrochloride* CAS No.: 1465-25-4
Classification: H315, Skin Irrit. 2, H319, Eye Irrit. 2
Formula: $C_{12} H_{16} Cl_2 N_2$
Pseudonym: N1-1-naphthalenyl-1,2-ethanediamine, dihydrochloride
TSCA Inventory: listed
EC No.: 215-981-2
RTECS: KV5330000 MFCD: 00012556
KE No.: not listed
Concentration: 1 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *citric acid* CAS No.: 77-92-9
Classification: H303, Acute Tox. 5 oral, H316, Skin Irrit. 3, H319, Eye Irrit. 2, H335, STOT SE 3
Formula: $C_6 H_8 O_7$
Pseudonym: 2-hydroxy-1,2,3-propanetricarboxylic acid
TSCA Inventory: listed
REACH Reg. No.: 01-2119457026-42-xxxx
EC No.: 201-069-1
RTECS: GE7350000/GE7810000
KE No.: KE-20831
Concentration: 1 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

25 mL PO_4 -1

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Chemical: *ammonium heptamolybdate* CAS No.: 12054-85-2
Classification: No criteria for classification or naming of chemical not required.
Formula: $H_{24}\,Mo_7\,N_6\,O_{24}$
Pseudonym: hexaammonium heptamolybdate
TSCA Inventory: listed (CAS 11098-84-3)
REACH Reg. No.: 01-2119498057-28-xxxx
EC No.: 234-722-4
RTECS: QA5076000 / QA4900000 MFCD: 00167059
KE No.: not listed
Concentration: 0.5 - <2 % Correlation factor: x 0.58 (= %Mo)
The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1)
acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *sulfuric acid* (diluted < 5 %) CAS No.: 7664-93-9d
Classification: H315, Skin Irrit. 2, H319, Eye Irrit. 2
Formula: $H_2\,SO_4 \bullet H_2\,O$
TSCA Inventory: listed
REACH Reg. No.: 01-2119458838-20-xxxx
EC No.: 231-639-5 Indice No.: 016-020-00-8
RTECS: WS5600000
KE No.: KE-32570
Concentration: 5 - <15 %
acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2

25 mL PO_4 -2

Chemical: *sodium disulfite* CAS No.: 7681-57-4
Classification: H302, Acute Tox. 4 oral, H318, Eye Dam. 1, EUH031, 031 not defined
Formula: $Na_2\,O_5\,S_2$
Pseudonym: sodium metabisulphite, sodium pyrosulfite
TSCA Inventory: listed
REACH Reg. No.: 01-2119531326-45-xxxx
EC No.: 231-673-0 Indice No.: 016-063-00-2
RTECS: UX8225000
KE No.: KE-12701
Concentration: 10 - <25 %
acc. CLP (GHS): H318, Eye Dam. 1, EUH031, 031 not defined

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact
Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact
After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours
After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake
After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

4.2 Most important symptoms and effects, both acute and delayed

---

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.
For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances. ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary, contains only small amounts of these substances

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals.
Clean any contaminated equipment and floors with plenty of water.
Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI):	3
Water hazard class (DE):	3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

DE / international:
Tel.: +49 24 21 969-0
Fax: +49 24 21 969-199
E-mail: info@mn-net.com

CH:
Tel.: +41 62 388 55 00
Fax: +41 62 388 55 05
E-mail: sales-ch@mn-net.com

FR:
Tel.: +33 388 68 22 68
Fax: +33 388 51 76 88
E-mail: sales-fr@mn-net.com

US:
Tel.: +1 484 821 0984
Fax: +1 484 821 1272
E-mail: sales-us@mn-net.com

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8 mL GH-1

Chemical: *triethanolamine* CAS No.: 102-71-6

DNEL: [derm] 6.3; [inh] 5 mg/m³
DNEL = Derived No-Effect Level (for workers)

$PNEC_{(fresh\ water)}$: 0.32 mg/L
PNEC = Predicted No Effected Concentration

TRGS 900 (DE): - DFG: 5 E mg/m³
E/e respirable

Short-term exposure factor: I, (2)
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [MAK] 5 e/[STEL] 10 e mg/m³

NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

$PNEC_{(fresh\ water)}$: 0.96 mg/L
PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

Chemical: *indicator dye(s)* CAS No.: -

30 mL GH-2

Chemical: *ammonia solution* CAS No.: 1336-21-6

DNEL: [inh] 14 mg/m³
DNEL = Derived No-Effect Level (for workers)

$PNEC_{(fresh\ water)}$: 0.0011 mg/L
PNEC = Predicted No Effected Concentration

EU value: 20 ppm / 14 mg/m³

TRGS 900 (DE): 20 ppm / 14 mg/m³
E/e respirable

Short-term exposure factor: 2 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 20 ppm / 14 mg/m³

NIOSH: [TWA] 25 ppm / 18 mg/m³
NIOSH STEL: 35 ppm / 27 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: Yes (TQ = 15000 lbs) - n/a; [TWA] 50 ppm / 35 mg/m³

Chemical: *ethylendinitrilo tetraacetic acid, di Na-salt (EDTA-Na)* CAS No.: 6381-92-6

DNEL: [inh] 1.5 mg/m³
DNEL = Derived No-Effect Level (for workers)

$PNEC_{(fresh\ water)}$: 2.2 mg/L
PNEC = Predicted No Effected Concentration

24 mL pH-1

Chemical: *methyl red (pH indicator)* CAS No.: 493-52-7

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

$PNEC_{(fresh\ water)}$: 0.96 mg/L
PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³
NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: [TWA] 1000 ppm / 1900 mg/m³

Chemical: *phenolphthalein (pH indicator)* CAS No.: 77-09-8
NIOSH: not listed, NTP Report on Carcinogens (RoC) List Yes (Reasonably anticipated to be a human carcinogen)
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: not listed

Chemical: *indicator dye(s)* CAS No.: -

30 mL NH_4 -1
Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
DNEL: [inh] 1 mg/m³
DNEL = Derived No-Effect Level (for workers)
TRGS 900 (DE): 2 mg/m³
E/e respirable
Short-term exposure factor: (=1=, Y)
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
SUVA(CH) MAK value: 2 e mg/m³
NIOSH: 2 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: [TWA] 2 mg/m³

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3

2,5 g NH_4 -2
Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9
NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: not listed

Chemical: *sodium chloride* CAS No.: 7647-14-5

10 mL NH_4 -3
Chemical: *sodium nitroprusside* CAS No.: 13755-38-9

Chemical: *ethanol* CAS No.: 64-17-5
DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)
$PNEC_{(fresh\ water)}$: 0.96 mg/L
PNEC = Predicted No Effected Concentration
TRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable
Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
SUVA(CH) MAK value: 500 ppm / 960 mg/m³
NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: [TWA] 1000 ppm / 1900 mg/m³

Chemical: *thymol* CAS No.: 89-83-8

30 mL NO_3 -1
Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
TRGS 900 (DE): - ($0.1E_{alt}$) mg/m³
E/e respirable
Short-term exposure factor: 2 (II)
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

Chemical: *citric acid* CAS No.: 77-92-9
$PNEC_{(fresh\ water)}$: 440 mg/L
PNEC = Predicted No Effected Concentration
TRGS 900 (DE): 2 E mg/m³

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

E/e respirable

Short-term exposure factor: 2 (I) Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

5 g NO_3 -2

Chemical: *zinc powder (stabilizied)* CAS No.: 7440-66-6
DNEL: 1_{inh} mg/m³
DNEL = Derived No-Effect Level (for workers)
TRGS 900 (DE): 0.1A / 2E mg/m³
E/e respirable

30 mL NO_2 -1

Chemical: *sulfanilamide* CAS No.: 63-74-1

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
DNEL: 2.92 mg/m³
DNEL = Derived No-Effect Level (for workers)
EU value: [TWA] 1 /[STEL] 2 mg/m³
TRGS 900 (DE): [8h] 1 / [15min] 2 mg/m³
E/e respirable
Short-term exposure factor: 2 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
SUVA(CH) MAK value: 1 mg/m³
NIOSH: TWA 1 / ST 3 mg/m³
NIOSH STEL: 3 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: TWA 1 mg/m³

5 g NO_2 -2

Chemical: *N-(1-naphthyl)-ethylendiamine dihydrochloride* CAS No.: 1465-25-4

Chemical: *citric acid* CAS No.: 77-92-9
$PNEC_{(fresh\ water)}$: 440 mg/L
PNEC = Predicted No Effected Concentration
TRGS 900 (DE): 2 E mg/m³
E/e respirable
Short-term exposure factor: 2 (I) Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

25 mL PO_4 -1

Chemical: *ammonium heptamolybdate* CAS No.: 12054-85-2
TRGS 900 (DE): [Mo] 5 E mg/m³
E/e respirable
SUVA(CH) MAK value: [Mo] 5 e mg/m³

Chemical: *sulfuric acid* CAS No.: 7664-93-9d
DNEL: 50 µg/m³
DNEL = Derived No-Effect Level (for workers)
$PNEC_{(fresh\ water)}$: 2.5 µg/L
PNEC = Predicted No Effected Concentration
TRGS 900 (DE): 0.1 E mg/m³
E/e respirable
Short-term exposure factor: 1 (I)
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
SUVA(CH) MAK value: 0,1 e mg/m³
NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); TWA 1 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: [TWA] 1 mg/m³

25 mL PO_4 -2

Chemical: *sodium disulfite* CAS No.: 7681-57-4
DNEL: [inh] 225 mg/m³
DNEL = Derived No-Effect Level (for workers)
TRGS 900 (DE): -
E/e respirable
SUVA(CH) MAK value: 5 e mg/m³

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

NIOSH: [TWA] 5 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: none

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection
No additional recommendations.

8.2.2 Hand protection
Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye protection
Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection
Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene
Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

8 mL GH-1

Appearance: liquid	Colour: green	Odor: alcoholic
pH:	10	
Flash point:	27 °C	

30 mL GH-2

Appearance: liquid	Colour: colourless	Odor: aminic
pH:	10,5	

24 mL pH-1

Appearance: liquid	Colour: red	Odor: alcoholic
Odor limit:	19…93 mg/m³	
pH:	7	
Melting point:	-114 °C	
Boiling point:	78 °C	
Flash point:	> 12 °C	
Explosion limits:	3.5 ...15 Vol%	
Vapour pressure (20°C):	59 hPa	
Vapour density$_{(air=1)}$:	1,59	
Specific gravity:	0,79-0,86 g/cm³	
Solubility in water:	0-100 %	
Flashing temperature:	425 °C	
Volatiles by volume:	112 g/m³	

30 mL NH_4 -1

Appearance: liquid	Colour: colourless	Odor: odorless
pH:	11,5-12,5	

2,5 g NH_4 -2

Appearance: powder (solid)	Colour: colourless	Odor: chloric
pH:	5-7	

10 mL NH_4 -3

Appearance: liquid	Colour: rose	Odor: organic

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

pH: 6-8
Flash point: 23 °C
Specific gravity: 0,9 g/cm³

30 mL NO_3 -1
Appearance: liquid | Colour: rose | Odor: odorless
pH: 2-3

5 g NO_3 -2
Appearance: powder (solid) | Colour: slightly grey | Odor: odorless
pH: 6,5-7,5

30 mL NO_2 -1
Appearance: liquid | Colour: colourless | Odor: odorless
pH: 2-3
Specific gravity: 1,04 g/cm³

5 g NO_2 -2
Appearance: powder (solid) | Colour: colourless | Odor: odorless
pH: 2-3

25 mL PO_4 -1
Appearance: liquid | Colour: colourless | Odor: odorless
pH: 1-2
Specific gravity: 1,07 g/cm³

25 mL PO_4 -2
Appearance: liquid | Colour: colourless | Odor: sulfuric
pH: 6-7

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.
Relevant Properties of Substance Group
Substances are very volantile and form flammable vapour-air mixtures. ---

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Not necessary. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

8 mL GH-1

Chemical: *triethanolamine* CAS No.: 102-71-6
TSCA Inventory: listed California Proposition 65 List: not listed
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: PAC Yes, Japan PDSCL: not listed
Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-25940
$LD50_{orl\ rat}$: > 5000 mg/kg
$LD50_{drm\ rbt}$: > 2000 mg/kg

Chemical: *ethanol* CAS No.: 64-17-5
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1000 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-13217
$LD50_{orl\ rat}$: 6200 mg/kg
$LC_Low_{ihl\ gpg}$: 21.9 g/m³
$LC_Low_{orl\ hmn}$: 1400 mg/kg
$LC50_{ihl\ mouse}$: [4h] 39 g/m³
$LC50_{ihl\ rat}$: [10h] 20 g/m³
$LD50_{drm\ rbt}$: 20 000 mg/kg
$LD50_{oral\ mouse}$: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: *indicator dye(s)* CAS No.: -
TSCA Inventory: all listed, <1%

30 mL GH-2

Chemical: *ammonia solution* CAS No.: 1336-21-6
TSCA Inventory: listed California Proposition 65 List: not listed
Exposure Routes: inhalation, ingestion (solution), skin and/or eye contact (solution/liquid)
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, nose, throat; dyspnea (breathing difficulty), wheezing, chest pain; pulmonary edema; pink frothy sputum; skin burns, vesiculation; l
Australia NICNAS: not listed Canada CEPA 1999: DSL yes, Toxic Substances (Schedule 1) Yes (Item 53.)
Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
Japan ISHL: listed ≥0,2%/≥0,1%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-01688, >10% Toxic 97-1-184
$LD50_{orl\ rat}$: 350 mg/kg
$LC_Low_{ihl\ hmn}$: 5000 mg/m³
$LC50_{ihl\ rat}$: [4h] 2000 ppm
$LD50_{drm\ rbt}$: [5min] 5000 ppm

Chemical: *ethylendinitrilo tetraacetic acid, di Na-salt (EDTA-Na)* CAS No.: 6381-92-6
TSCA Inventory: listed (CAS 139-33-3)
$LD50_{orl\ rat}$: 2800 mg/kg

24 mL pH-1

Chemical: *methyl red (pH indicator)* CAS No.: 493-52-7
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-06693
$LD50_{orl\ rat}$: Keine Daten verfügbar
$LC50_{ihl\ rat}$: Keine Daten verfügbar

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

$LD50_{drm\ rat}$: Keine Daten verfügbar

Chemical: *ethanol* CAS No.: 64-17-5
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1000 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-13217
$LD50_{orl\ rat}$: 6200 mg/kg
$LC_Low_{ihl\ gpg}$: 21.9 g/m³
$LC_Low_{orl\ hmn}$: 1400 mg/kg
$LC50_{ihl\ mouse}$: [4h] 39 g/m³
$LC50_{ihl\ rat}$: [10h] 20 g/m³
$LD50_{drm\ rbt}$: 20 000 mg/kg
$LD50_{oral\ mouse}$: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: *phenolphthalein (pH indicator)* CAS No.: 77-09-8
TSCA Inventory: listed California Proposition 65 List: listed, cancer
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: PRTR - Class II Designated Chemical Substance, Japan PDSCL: not listed
Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-03234
$LD50_{orl\ rat}$: >1000 mg/kg

EU carcinogen: Carcinogenicity cat. 2, Germ Cell Mutagenicity cat. 3, >5% Reproductive Toxicity cat. 3
TRGS 905 (DE): Karzinogenität Kat. 2

Chemical: *indicator dye(s)* CAS No.: -
TSCA Inventory: all listed, <1%

30 mL NH_4 -1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
TSCA Inventory: listed California Proposition 65 List: not listed
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-31487
$LD50_{orl\ rat}$: [40%] 1250 / [<25%] >2000 mg/kg
$LD50_{drm\ rbt}$: not applicable
$LD50_{orl\ mus}$: 40 mg/kg

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3
TSCA Inventory: listed (CAS 68-04-2)
Korea Exist.Chem.Inventory: KE-20843
$LD50_{orl\ rat}$: >8000 mg/kg

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

2,5 g NH_4 -2

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9
TSCA Inventory: listed California Proposition 65 List: not listed
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-10215, >25% Toxic 2014-1-688
$LD50_{orl\ rat}$: 550-1600 mg/kg
$LC_Low_{orl\ hmn}$: 3570 mg/kg
$LD50_{drm\ rbt}$: >5000 mg/kg

Chemical: *sodium chloride* CAS No.: 7647-14-5
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-31387
$LD50_{orl\ rat}$: 3000 mg/kg
$LD50_{drm\ rbt}$: 10 g/kg

10 mL NH_4 -3

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
TSCA Inventory: listed (CAS 14402-89-2)
Korea Exist.Chem.Inventory: not listed
$LD50_{orl\ rat}$: 99 mg/kg
$LC_Low_{orl\ rat}$: 20 mg/kg

Chemical: *ethanol* CAS No.: 64-17-5
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1000 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-13217
$LD50_{orl\ rat}$: 6200 mg/kg
$LC_Low_{ihl\ gpg}$: 21.9 g/m³
$LC_Low_{orl\ hmn}$: 1400 mg/kg
$LC50_{ihl\ mouse}$: [4h] 39 g/m³
$LC50_{ihl\ rat}$: [10h] 20 g/m³
$LD50_{drm\ rbt}$: 20 000 mg/kg
$LD50_{oral\ mouse}$: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: *thymol* CAS No.: 89-83-8
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-24420
$LD50_{orl\ rat}$: 980 mg/kg
$LD50_{drm\ rat}$: > 2000 mg/kg

30 mL NO_3 -1

Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-05-1004, >25% Toxic 97-1-334
$LD50_{orl\ rat}$: 280 mg/kg

EU carcinogen: mut. 3
TRGS 905 (DE): K3B, M3
TRGS 907 (DE): Sh

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Chemical: *citric acid* CAS No.: 77-92-9
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-20831
$LD50_{orl\ rat}$: >3000 mg/kg
$LC50_{ihl\ rat}$: 5800 mg/m³
$LD50_{drm\ rat}$: >2000 mg/kg
$LD50_{orl\ mus}$: 5400 mg/kg
$LD50_{scu\ rat}$: 5500 mg/kg

5 g NO_3 -2

Chemical: *zinc powder (stabilizied)* CAS No.: 7440-66-6
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-35518
$LD50_{orl\ rat}$: >2000 mg/kg
$LC_Low_{inh\ hmn}$: 124_{50min} mg/m³
$LC50_{ihl\ rat}$: $>5.4_{4h}$ mg/m³

30 mL NO_2 -1

Chemical: *sulfanilamide* CAS No.: 63-74-1
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-01188
$LD50_{orl\ rat}$: 3900 mg/kg

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, upper respiratory system; eye, skin, burns; dermatitis
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-27427
$LD50_{orl\ rat}$: 1530 mg/kg
$LC50_{ihl\ rbt}$: 1.689 mg/L
$LD50_{drm\ rbt}$: 2750 mg/kg

TRGS 905 (DE): R_F C

5 g NO_2 -2

Chemical: *N-(1-naphthyl)-ethylendiamine dihydrochloride* CAS No.: 1465-25-4
TSCA Inventory: listed
Korea Exist.Chem.Inventory: not listed

Chemical: *citric acid* CAS No.: 77-92-9
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-20831
$LD50_{orl\ rat}$: >3000 mg/kg
$LC50_{ihl\ rat}$: 5800 mg/m³
$LD50_{drm\ rat}$: >2000 mg/kg
$LD50_{orl\ mus}$: 5400 mg/kg
$LD50_{scu\ rat}$: 5500 mg/kg

25 mL PO_4 -1

Chemical: *ammonium heptamolybdate* CAS No.: 12054-85-2
TSCA Inventory: listed (CAS 11098-84-3)
Japan ISHL: listed ≥1,0%/≥0,1%,
Korea Exist.Chem.Inventory: not listed

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Chemical: *sulfuric acid* CAS No.: 7664-93-9d
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, teeth
Symptoms: irritation eyes, skin, nose
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
South Korea TCCA: Accident Precaution Chemical Yes
Korea Exist.Chem.Inventory: KE-32570
$LD50_{orl\ rat}$: 2140 mg/kg
$LC50_{ihl\ rat}$: [8h] 600/ [4h] 850 mg/m³

TRGS 905 (DE): R_F C

25 mL PO_4 -2

Chemical: *sodium disulfite* CAS No.: 7681-57-4
TSCA Inventory: listed California Proposition 65 List: not listed
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, mucous membrane
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-12701
$LD50_{orl\ rat}$: 1540 mg/kg
$LD50_{drm\ rat}$: 2000 mg/kg

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

8 mL GH-1

Chemical: *triethanolamine* CAS No.: 102-71-6
$PNEC_{(fresh\ water)}$: 0.32 mg/L
PNEC = Predicted No Effected Concentration
$LC50_{fish/96h}$: >1000 mg/L
$EC50_{daphnia/48h}$: $>1000_{24h}$ mg/L
Water hazard class (DE): 1 WGK No.: 0201
Dispersion coefficient$_{(octanol\text{-}water)}$: -2.3
Storage class (VCI): 12

Chemical: *ethanol* CAS No.: 64-17-5
$PNEC_{(fresh\ water)}$: 0.96 mg/L
PNEC = Predicted No Effected Concentration
$LC50_{daphnia\ magna/48h}$: >100 mg/L
$LC50_{pimephales\ promelas/96h}$: 13400 - 15100 mg/L
$LC50_{leuciscus\ idus/96h}$: [48h] 8140 mg/L
$LC50_{fish/96h}$: 13 g/L
$EC50_{daphnia/48h}$: 9.3-14.2 g/L
$IC50_{scenedesmus\ quadricauda/72h}$: [7d] 5000 mg/L
$EC10_{pseudomonas\ putita/16h}$: [EC5] 6500 mg/L
Water hazard class (DE): 1 WGK No.: 0096
Dispersion coefficient$_{(octanol\text{-}water)}$: -0.31
Storage class (VCI): 3

Chemical: *indicator dye(s)* CAS No.: -
Storage class (VCI): 12-13

30 mL GH-2

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Chemical: *ammonia solution* CAS No.: 1336-21-6
PNEC(fresh water) : 0.0011 mg/L
PNEC = Predicted No Effected Concentration
$LC50_{fish/96h}$: 0,89 mg/L
$EC50_{daphnia/48h}$: 101 mg/L
Water hazard class (DE): 2 WGK No.: 0211
Storage class (VCI): 8 B

Chemical: *ethylendinitrilo tetraacetic acid, di Na-salt (EDTA-Na)* CAS No.: 6381-92-6
PNEC(fresh water) : 2.2 mg/L
PNEC = Predicted No Effected Concentration
$LC50_{fish/96h}$: [4d] 41-1592 mg/L
$EC50_{daphnia/48h}$: 140 mg/L
$IC50_{scenedesmus\ quadricauda/72h}$: [72h] 2.77-1000 mg/L
$EC10_{pseudomonas\ putita/16h}$: [EC10, 30h] 500 mg/L
Water hazard class (DE): 2
Dispersion coefficient(octanol-water) : -4.3
Storage class (VCI): 12-13

24 mL pH-1

Chemical: *methyl red (pH indicator)* CAS No.: 493-52-7
Water hazard class (DE): 2
Storage class (VCI): 12-13

Chemical: *ethanol* CAS No.: 64-17-5
PNEC(fresh water) : 0.96 mg/L
PNEC = Predicted No Effected Concentration
$LC50_{daphnia\ magna/48h}$: >100 mg/L
$LC50_{pimephales\ promelas/96h}$: 13400 - 15100 mg/L
$LC50_{leuciscus\ idus/96h}$: [48h] 8140 mg/L
$LC50_{fish/96h}$: 13 g/L
$EC50_{daphnia/48h}$: 9.3-14.2 g/L
$IC50_{scenedesmus\ quadricauda/72h}$: [7d] 5000 mg/L
$EC10_{pseudomonas\ putita/16h}$: [EC5] 6500 mg/L
Water hazard class (DE): 1 WGK No.: 0096
Dispersion coefficient(octanol-water) : -0.31
Storage class (VCI): 3

Chemical: *phenolphthalein (pH indicator)* CAS No.: 77-09-8
Water hazard class (DE): 1
Dispersion coefficient(octanol-water) : 0.9
Storage class (VCI): 12-13

Chemical: *indicator dye(s)* CAS No.: -
Storage class (VCI): 12-13

30 mL NH_4 -1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
Avoid contact of substance/mixture to environment.
$LC50_{leuciscus\ idus/96h}$: 35-189 mg/L
$LC50_{fish/96h}$: 45.4 mg/L
$EC50_{daphnia/48h}$: >100 mg/L
Water hazard class (DE): 1 WGK No.: 142
Storage class (VCI): 8 B

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3
$LC50_{fish/96h}$: 18-32 g/L
$EC50_{daphnia/48h}$: 5.6-10 g/L
$EC50_{chlorella\ vulgaris/5d}$: >18-32 g/L
$EC10_{pseudomonas\ putita/16h}$: $EC50_{ps.\ fluorescens/8h}$: >1.8-3.2 g/L
Water hazard class (DE): 1
Storage class (VCI): 12-13

2,5 g NH_4 -2

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9
Water hazard class (DE): 3
Storage class (VCI): 13

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Chemical: *sodium chloride* CAS No.: 7647-14-5
Water hazard class (DE): 1
Storage class (VCI): 12-13

10 mL NH_4 -3

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
Water hazard class (DE): 3
Storage class (VCI): 6.1 B

Chemical: *ethanol* CAS No.: 64-17-5
$PNEC_{(fresh\ water)}$: 0.96 mg/L
PNEC = Predicted No Effected Concentration
$LC50_{daphnia\ magna/48h}$: >100 mg/L
$LC50_{pimephales\ promelas/96h}$: 13400 - 15100 mg/L
$LC50_{leuciscus\ idus/96h}$: [48h] 8140 mg/L
$LC50_{fish/96h}$: 13 g/L
$EC50_{daphnia/48h}$: 9.3-14.2 g/L
$IC50_{scenedesmus\ quadricauda/72h}$: [7d] 5000 mg/L
$EC10_{pseudomonas\ putita/16h}$: [EC5] 6500 mg/L
Water hazard class (DE): 1 WGK No.: 0096
$Dispersion\ coefficient_{(octanol\text{-}water)}$: -0.31
Storage class (VCI): 3

Chemical: *thymol* CAS No.: 89-83-8
Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.
Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).
$LC50_{pimephales\ promelas/96h}$: 3.2 mg/L
$EC50_{daphnia/48h}$: 3.2 mg/L
Water hazard class (DE): 2 WGK No.: 1220
Storage class (VCI): 8 A

30 mL NO_3 -1

Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
Water hazard class (DE): 3 WGK No.: 1312
Storage class (VCI): 6.1 D

Chemical: *citric acid* CAS No.: 77-92-9
$PNEC_{(fresh\ water)}$: 440 mg/L
PNEC = Predicted No Effected Concentration
$LC50_{leuciscus\ idus/96h}$: 440-760 mg/L
$EC50_{daphnia/48h}$: 1535_{24h} mg/L
$IC50_{scenedesmus\ quadricauda/72h}$: 7d: 425-640 mg/L
$EC10_{pseudomonas\ putita/16h}$: EC0: >10 g/L
Water hazard class (DE): 1 WGK No.: 0057
$Dispersion\ coefficient_{(octanol\text{-}water)}$: -1.72
Storage class (VCI): 12-13

5 g NO_3 -2

Chemical: *zinc powder (stabilizied)* CAS No.: 7440-66-6
Toxic to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.
Environmental hazards must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).
$LC50_{fish/96h}$: 2.01 mg/L
$EC50_{daphnia/48h}$: 0.131 mg/L
$EC50_{pseudokirchneriella\ subcapitata/72h}$: IC50: 0.713 mg/L
Water hazard class (DE): 2 WGK No.: 7325
Storage class (VCI): 13

30 mL NO_2 -1

Chemical: *sulfanilamide* CAS No.: 63-74-1
Water hazard class (DE): 1 WGK No.: n.n.
Storage class (VCI): 12-13

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
$LC50_{fish/96h}$: 3-3.5 mg/L
Water hazard class (DE): 1 WGK No.: 0392
Storage class (VCI): 8 B

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

5 g NO_2 -2

Chemical: *N-(1-naphthyl)-ethylendiamine dihydrochloride* CAS No.: 1465-25-4
Water hazard class (DE): 3
Storage class (VCI): 13

Chemical: *citric acid* CAS No.: 77-92-9
$PNEC_{(fresh\ water)}$: 440 mg/L
PNEC = Predicted No Effected Concentration
$LC50_{leuciscus\ idus/96h}$: 440-760 mg/L
$EC50_{daphnia/48h}$: 1535_{24h} mg/L
$IC50_{scenedesmus\ quadricauda/72h}$: 7d: 425-640 mg/L
$EC10_{pseudomonas\ putita/16h}$: EC0: >10 g/L
Water hazard class (DE): 1 WGK No.: 0057
$Dispersion\ coefficient_{(octanol-water)}$: -1.72
Storage class (VCI): 12-13

25 mL PO_4 -1

Chemical: *ammonium heptamolybdate* CAS No.: 12054-85-2
Water hazard class (DE): 1 WGK No.: 0637
Storage class (VCI): 12-13

Chemical: *sulfuric acid* CAS No.: 7664-93-9d
$PNEC_{(fresh\ water)}$: 2.5 µg/L
PNEC = Predicted No Effected Concentration
$LC50_{fish/96h}$: [NOEC, 65d] 25 µg/L
$EC50_{daphnia/48h}$: 100 mg/L
$EC10_{pseudomonas\ putita/16h}$: [72h] 100 mg/L
Water hazard class (DE): 1 WGK No.: 0182
Storage class (VCI): 8 B

25 mL PO_4 -2

Chemical: *sodium disulfite* CAS No.: 7681-57-4
$LC50_{fish/96h}$: 150-220 mg/L
$EC50_{daphnia/48h}$: 89 mg/L
$IC50_{scenedesmus\ quadricauda/72h}$: 48 mg/L
Water hazard class (DE): 1 WGK No.: 1169
Storage class (VCI): 8 B

12.2 Persistence and degradability
not necessary

12.3 Bioaccumulative potential
not necessary

12.4 Mobility in soil
not necessary

12.5 Results of PBT and vPvB assessment
no data available

12.6 Other adverse effects
no additional data available

SECTION 13: Disposal considerations
Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods
Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

SECTION 14: Transport information

14.1. UN number: 3316 **14.2. UN proper shipping name: Chemical Kit**
14.3. Class: 9 **14.4. Packing group: II**
Road transport
Classification code: M11 Tunnel restriction code: E
Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation
Air transport
PAX: 960 max. weight PAX: 10 KG
CAO: 960 max. weight CAO: 10 KG
Maritime transport
EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**
UN No.: (see below) UN 1993 class 3 II, class 8 II, **Excepted Quantities** (≤30 mL/∑≤500 mL) = ADR/ IATA E2
or
14.1 UN number: 1436 **14.2 UN proper shipping name: Zinc powder / Zinc dust**
14.3 Class: 4.2 Additionally class: **4.3 _14.4 Packing group: II**
Road transport
Classification code: WS
Limited Quantity: 0 Tunnel restriction code: E
Excepted Quantity: E 2
Air transport
PAX: 483 max. weight PAX: 15 Kg
CAO: 490 max. weight CAO: 50 Kg
Maritime transport
EmS: F-G, S-O Storage category: A

14.1 UN number: 1993 **14.2 UN proper shipping name: Flammable liquid, n.o.s. (ethanol mixture)**
14.3 Class: 3 **14.4 Packing group: II**
Road transport
Classification code: F1
Limited Quantity: 1 L Tunnel restriction code: E
Excepted Quantity: E 2 Special instructions: 640C
Air transport
PAX: 353 max. weight PAX: 5 L
CAO: 364 max. weight CAO: 60 L
Maritime transport
EmS: F-E, S-E Storage category: B

14.1 UN number: 3264
14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (o-phosphoric acid, sodium disulfite solution)
14.3 Class: 8 **14.4 Packing group: II**
Road transport
Classification code: C1
Limited Quantity: 1 L Tunnel restriction code: E
Excepted Quantity: E 2
Air transport
PAX: 851 max. weight PAX: 1 L
CAO: 855 max. weight CAO: 30 L
Maritime transport
EmS: F-A, S-B Storage category: B

14.1 UN number: 3266
14.2 UN proper shipping name: Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution, ammonia solution)
14.3 Class: 8 **14.4 Packing group: II**
Road transport
Classification code: C5
Limited Quantity: 1 L Tunnel restriction code: E
Excepted Quantity: E 2
Air transport
PAX: 851 max. weight PAX: 1 L
CAO: 855 max. weight CAO: 30 L
Maritime transport
EmS: F-A, S-B Storage category: B

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011
MN Leaflet/User manual, also see www.mn-net.com
Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

16.1.2 List of relevant P phrases

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P260D	Do not breathe vapours.
P260sh	Do not breathe dust/vapours.
P273	Avoid release to the environment.
P280sh	Wear protective gloves/eye protection.
P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P390	Absorb spillage to prevent material damage.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.
Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany

DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 849/2021/EU, 4th adaptation of CLP regulation to technical and scientific progress
TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
SUVA .CH, Limits in air at work 2009, revised on 01.2009
KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates
Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU
2017-08 Adaption of new ethanol denaturation 2016/1867/EU

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany
DE / international: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 E-mail: info@mn-net.com
CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com
FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com
US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com