

Safety data sheet
 according to UK REACH

Page 1/10

Printing date 07.07.2025

Revision: 07.07.2025

Version number 13.05 (replaces version 13.04)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Copper(II) sulfate pentahydrate
- **Article number:** 1270
- **CAS Number:**
7758-99-8
- **EC number:**
231-847-6
- **Index number:**
029-023-00-4
- **Application of the substance / the mixture** Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 PANREAC QUIMICA S.L.U.
 C/Garraf 2
 Polígono Pla de la Bruguera
 E-08211 Castellar del Vallès (Barcelona)
 Tel. (+34) 937 489 400
 Fax. (+34) 937 489 401
 e-mail: product.safety@itwreagents.com
- **Further information obtainable from:** email: product.safety@panreac.com
- **1.4 Emergency telephone number:**
 Single telephone number for emergency calls: 112 (EU)
 Tel.: (+34) 937 489 499

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
 Acute Tox. 4 H302 Harmful if swallowed.
 Eye Dam. 1 H318 Causes serious eye damage.
 Aquatic Acute 1 H400 Very toxic to aquatic life.
 Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
 The substance is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB

Trade name: Copper(II) sulfate pentahydrate

(Contd. of page 1)

· **Hazard pictograms**



GHS05 GHS07 GHS09

· **Signal word** Danger

· **Hazard statements**

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P280 Wear eye protection / face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.1 Substances**

· **CAS No. Description**

7758-99-8 Copper(II) sulfate pentahydrate

· **Identification number(s)**

· **EC number:** 231-847-6

· **Index number:** 029-023-00-4

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Involve doctor immediately.

· **After inhalation:** Call a doctor immediately.

· **After skin contact:** Call a doctor immediately.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

make victim drink water (maximum of 2 drinking glasses)

Call a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 3)

Trade name: Copper(II) sulfate pentahydrate

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**
Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Sulphur oxides (SO_x)
Non-combustible.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid formation of dust.
Avoid substance contact.
Ensure adequate ventilation
- **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Pick up mechanically.
Avoid formation of dust.
Dispose contaminated material as waste according to section 13.
Clean up affected area.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Any unavoidable deposit of dust must be regularly removed.
- **Information about fire - and explosion protection:** The product is not flammable.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
Prevent any seepage into the ground.
- **Information about storage in one common storage facility:** Store away from flammable substances.
- **Further information about storage conditions:**
Open receptacle only under localised extractor facilities.
Store under lock and key and with access restricted to technical experts or their assistants only.
Keep container sealed.
- **Recommended storage temperature:** Room Temperature
- **Storage class:** 13

(Contd. on page 4)

Trade name: Copper(II) sulfate pentahydrate

(Contd. of page 3)

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

7758-99-8 Copper(II) sulfate pentahydrate

WEL Short-term value: 2 mg/m³
Long-term value: 1 mg/m³
dusts and mists, as Cu

· **DNELs**

Oral	Long-term - systemic effects, worker	0.04 mg/kg
Dermal	Acute - systemic effects, worker	1 mg/kg
	Long-term - systemic effects, worker	13.7 mg/kg
Inhalative	Long-term - systemic effects, worker	1 mg/m ³

· **PNECs**

Aquatic compartment - freshwater	0.0078 mg/L
Aquatic compartment - marine water	0.0052 mg/L
Aquatic compartment - sediment in freshwater	87 mg/kg
Aquatic compartment - sediment in marine water	676 mg/kg
Terrestrial compartment - soil	288 mg/kg
Sewage treatment plant	0.23 mg/L

- **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Vacuum clean contaminated clothing. Do not blow or brush off contamination.
Avoid contact with the eyes.

- **Respiratory protection:**

Filter P3
Required when dusts are generated.

- **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact gloves made of the following materials are suitable:**

Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
Value for the permeation: Level ≥ 480 min

(Contd. on page 5)

Trade name: Copper(II) sulfate pentahydrate

(Contd. of page 4)

- **As protection from splashes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Value for the permeation: Level ≥ 480 min

- **Eye/face protection**



Gauze goggles

- **Body protection:** Use protective suit.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Solid

- **Colour:**

Blue

- **Odour:**

Odourless

- **Odour threshold:**

Not determined.

- **Melting point/freezing point:**

Undetermined.

- **Boiling point or initial boiling point and boiling range**

Undetermined.

- **Flammability**

Product is not flammable.

- **Lower and upper explosion limit**

- **Lower:**

Not determined.

- **Upper:**

Not determined.

- **Flash point:**

Not applicable.

- **Decomposition temperature:**

88-245 °C

- **pH**

3.5-4.5

- **Viscosity:**

- **Kinematic viscosity**

Not applicable.

- **Dynamic:**

Not applicable.

- **Solubility**

- **water at 20 °C:**

317 g/l

- **Partition coefficient n-octanol/water (log value)**

Not determined.

- **Vapour pressure:**

Not applicable.

- **Density and/or relative density**

- **Density:**

Not determined.

- **Relative density**

Not determined.

- **Vapour density**

Not applicable.

- **9.2 Other information**

- **Appearance:**

- **Form:**

Solid

- **Important information on protection of health and environment, and on safety.**

- **Ignition temperature:**

Not determined.

- **Explosive properties:**

Product does not present an explosion hazard.

- **Molecular weight**

249.68 g/mol

- **Change in condition**

- **Evaporation rate**

Not applicable.

(Contd. on page 6)

Trade name: Copper(II) sulfate pentahydrate

(Contd. of page 5)

- Information with regard to physical hazard classes
- Explosives Void
- Flammable gases Void
- Aerosols Void
- Oxidising gases Void
- Gases under pressure Void
- Flammable liquids Void
- Flammable solids Void
- Self-reactive substances and mixtures Void
- Pyrophoric liquids Void
- Pyrophoric solids Void
- Self-heating substances and mixtures Void
- Substances and mixtures, which emit flammable gases in contact with water Void
- Oxidising liquids Void
- Oxidising solids Void
- Organic peroxides Void
- Corrosive to metals Void
- Desensitised explosives Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Loss of constitutional water on heating.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
strong acids
hydroxylamine
- **10.6 Hazardous decomposition products:** In the event of fire: See chapter 5

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed.
- **LD/LC50 values relevant for classification:**
Quantitative data on the toxicological effect of this product are not available.

Components	Type	Value	Species
Oral	LD50	481 mg/kg (ATE)	
		482 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	

- **Primary irritant effect:**
- **Serious eye damage/irritation** Causes serious eye damage.
- **After inhalation:** No irritant effect.
- **Additional toxicological information:**

· Repeated dose toxicity

Oral	NOAEL	>1,500 mg/kg bw/day (rat)
------	-------	---------------------------

(Contd. on page 7)

Trade name: Copper(II) sulfate pentahydrate

(Contd. of page 6)

- **11.2 Information on other hazards**
- **Endocrine disrupting properties** Substance is not listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.

Type of test	Effective concentration	Method	Assessment
EC50/48 h	0.0338-1.213 mg/l	(Aquatic Invertebrata)	
EC50/96 h	0.047 mg/l	(Algae)	
LC50/72 h	0.0165-0.987 mg/L	(Algae)	
LC50/48 h	0.007-0.2 mg/l	(Aquatic Invertebrata)	
LC50/96 h	0.15 mg/l	(fish)	
NOEC/48 h	3.563-3.8 mg/l	(micro-organisms)	

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Chemicals must be disposed of in compliance with the respective national regulations.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:**
Disposal must be made according to official regulations.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA** UN3077

(Contd. on page 8)

GB

Trade name: Copper(II) sulfate pentahydrate

(Contd. of page 7)

· **14.2 UN proper shipping name**


· **ADR, IATA**

· **IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S. (Copper sulfate)
ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S. (Copper sulfate), MARINE
POLLUTANT

· **14.3 Transport hazard class(es)**

· **ADR**




· **Class**

9 (M7) Miscellaneous dangerous substances and articles.

· **Label**

9

· **IMDG, IATA**



· **Class**

9 Miscellaneous dangerous substances and articles.

· **Label**

9

· **14.4 Packing group**

· **ADR, IMDG, IATA**

III

· **14.5 Environmental hazards:**

· **Marine pollutant:**

Symbol (fish and tree)

· **Special marking (ADR):**

Symbol (fish and tree)

· **Special marking (IATA):**

Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.

· **Hazard identification number (Kemler code):**

90

· **EMS Number:**

F-A,S-F

· **Stowage Category**

A

· **Stowage Code**

SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)**

5 kg

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

· **Transport category**

3

· **Tunnel restriction code**

(-)

(Contd. on page 9)

Trade name: Copper(II) sulfate pentahydrate

(Contd. of page 8)

· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER SULFATE), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated explosives precursors** Substance is not listed.
- **Regulated poisons** Substance is not listed.
- **Reportable explosives precursors** Substance is not listed.
- **Reportable poisons** Substance is not listed.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **Seveso category E1** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Abbreviations and acronyms:**
 - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 - ICAO: International Civil Aviation Organisation
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - DNEL: Derived No-Effect Level (UK REACH)
 - PNEC: Predicted No-Effect Concentration (UK REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Acute Tox. 4: Acute toxicity – Category 4
 - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 - Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- *** Data compared to the previous version altered.**

Annex: Exposure scenario

- **Short title of the exposure scenario** Formulation and packing/repacking of substances and mixtures

(Contd. on page 10)

Trade name: Copper(II) sulfate pentahydrate

(Contd. of page 9)

- **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Solid
- **Concentration of the substance in the mixture** Raw material.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** Use only on hard ground.
- **Other operational conditions affecting worker exposure**
Avoid contact with eyes.
Avoid contact with the skin.
- **Other operational conditions affecting consumer exposure** No special measures required.
- **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures**
Use product only in enclosed systems.
Ensure that suitable extractors are available on processing machines
- **Personal protective measures**
Do not inhale dust / smoke / mist.
Avoid contact with the skin.
Avoid contact with the eyes.
Tightly sealed goggles
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Water** Do not allow to reach sewage system.
- **Soil** Prevent contamination of soil.
- **Disposal measures** Ensure that waste is collected and contained.
- **Disposal procedures**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.