

Safety data sheet
 according to UK REACH

Page 1/10

Printing date 08.07.2025

Revision: 08.07.2025

Version number 13.07 (replaces version 13.06)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** Phenol crystalline

· **Article number:** 1322

· **CAS Number:**

108-95-2

· **EC number:**

203-632-7

· **Index number:**

604-001-00-2

· **Application of the substance / the mixture**

Laboratory chemicals

Chemical analytics

Pharmaceutical analysis

Molecular biology

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès (Barcelona)

Tel. (+34) 937 489 400

Fax. (+34) 937 489 401

e-mail: product.safety@itwreagents.com

· **Further information obtainable from:** email: product.safety@panreac.com

· **1.4 Emergency telephone number:**

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Muta. 2 H341 Suspected of causing genetic defects.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

Trade name: Phenol crystalline

(Contd. of page 1)

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS05 GHS06 GHS08

- **Signal word** Danger
- **Hazard statements**
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.
H341 Suspected of causing genetic defects.
H373 May cause damage to organs through prolonged or repeated exposure.
- **Precautionary statements**
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see on this label).
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.1 Substances**
- **CAS No. Description**
108-95-2 Phenol crystalline
- **Identification number(s)**
- **EC number:** 203-632-7
- **Index number:** 604-001-00-2

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Personal protection for the First Aider.
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
Remove breathing equipment only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 3)

Trade name: Phenol crystalline

(Contd. of page 2)

Involve doctor immediately.

· **After inhalation:**

If breathing stops: mouth-to-mouth respiration or mechanical ventilation, oxygen mask if necessary.
Immediately call a physician.

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

· **After skin contact:**

Call a doctor immediately.

Dab with polyethylene glycol 400.

Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

make victim drink water (maximum of 2 drinking glasses)

Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Combustible.

Forms explosive mixtures with air on intense heating.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.

Avoid formation of dust.

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Clean up affected area.

(Contd. on page 4)

Trade name: Phenol crystalline

(Contd. of page 3)

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Work only in fume cupboard.

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Any unavoidable deposit of dust must be regularly removed.

· **Information about fire - and explosion protection:** Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep dry.

Store in the dark.

Storage in a well-ventilated place.

Keep container tightly sealed.

Open receptacle only under localised extractor facilities.

Store receptacle in a well ventilated area.

Store under lock and key and with access restricted to technical experts or their assistants only.

· **Recommended storage temperature:** +2 - +8°C

· **Storage class:** 6.1 A

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

108-95-2 Phenol crystalline

WEL Short-term value: 16 mg/m³, 4 ppm

Long-term value: 7.8 mg/m³, 2 ppm

Sk

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

Short term filter device:

(Contd. on page 5)

Trade name: Phenol crystalline

(Contd. of page 4)

Combination filter A-P3

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Required when dusts are generated.

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

Fluorocarbon rubber (Viton)

Recommended thickness of the material: ≥ 0.70 mm

Value for the permeation: Level ≥ 480 min

· **As protection from splashes gloves made of the following materials are suitable:**

Fluorocarbon rubber (Viton)

Recommended thickness of the material: ≥ 0.70 mm

Value for the permeation: Level ≥ 480 min

· **Eye/face protection**



Tightly sealed goggles

· **Body protection:**

Use protective suit.

Full head, face and neck protection

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Solid

· **Colour:**

Colourless

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

40.8 °C

· **Boiling point or initial boiling point and boiling range**

182 °C

· **Flammability**

Product is not flammable.

· **Lower and upper explosion limit**

· **Lower:**

1.8 Vol %

· **Upper:**

8.6 Vol %

· **Flash point:**

79 °C

· **Auto-ignition temperature:**

595 °C

(Contd. on page 6)

Trade name: Phenol crystalline

(Contd. of page 5)

· Decomposition temperature:	Not determined.
· pH	5
· Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	
· water at 20 °C:	90 g/l
· Partition coefficient n-octanol/water (log value)	-1.45593
· Vapour pressure at 25 °C:	40.7 hPa
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
· 9.2 Other information	
· Appearance:	
· Form:	Solid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	100 %
· Molecular weight	94.11 g/mol
· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Heating.

(Contd. on page 7)

Trade name: Phenol crystalline

(Contd. of page 6)

· **10.3 Possibility of hazardous reactions**

Exothermic reactions with:

aluminium

aldehydes

halogens

hydrogen peroxide, iron(III) compounds

oxidizing agent

strong acids

strong bases

Formaldehyde

Risk of explosion with:

nitrates

nitrides

salts of oxyhalogenic acids

peroxides

strong oxidants

· **10.4 Conditions to avoid** No further relevant information available.

· **10.5 Incompatible materials:** No further relevant information available.

· **10.6 Hazardous decomposition products:** In the event of fire: See chapter 5

· **Additional information:**

light sensitive

hygroscopic

Incompatible with:

varous plastics

various metals

various alloys

rubber

Forms explosive mixtures with air on intense heating.

The following applies in general to flammable organic substances and preparations: In correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Toxic if swallowed, in contact with skin or if inhaled.

· **LD/LC50 values relevant for classification:**

Quantitative data on the toxicological effect of this product are not available.

· Components		Type	Value	Species
Oral	LD50		317 mg/kg (rat)	
Dermal	LD50		669 mg/kg (rat)	
			850 mg/kg (rabbit)	
Inhalative	LC50/4 h		0.5 mg/l (ATE)	

· **Primary irritant effect:**

· **Skin corrosion/irritation**

Danger of skin absorption.

Causes severe skin burns and eye damage.

· **Serious eye damage/irritation** Risk of blindness.

· **After inhalation:**

resorption

coughing

dyspnoea

damage of respiratory tract.

Strong caustic effect on skin and mucous membranes.

(Contd. on page 8)

Trade name: Phenol crystalline

(Contd. of page 7)

- **Germ cell mutagenicity** Suspected of causing genetic defects.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **Other information (about experimental toxicology):**
After swallowing:
Systemic effects:
Irritation of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.
headache
dizziness
confusion
unconsciousness
cardiovascular disorders
collapse
respiratory paralysis
death
Damage of:
liver
Kidney
Heart
Further hazardous properties cannot be excluded.
- **Additional toxicological information:**
The product should be handled with the care usual when dealing with chemicals.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties** Substance is not listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**
Toxic effect on fish and plankton.
Forms toxic compounds with water even after dilution.
Change in the taste characteristics of fish protein.

Type of test	Effective concentration	Method	Assessment
EC50/48 h	3.1 mg/l (daphnia magna)		
EC50/96 h	61.1 mg/l (Algae)		
LC50/96 h	8.9-67.5 mg/l (fish)		

- **12.2 Persistence and degradability** The product is easily biodegradable.
- **12.3 Bioaccumulative potential**
Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Danger to drinking water if even small quantities leak into the ground.

GB

(Contd. on page 9)

Trade name: Phenol crystalline

(Contd. of page 8)

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Chemicals must be disposed of in compliance with the respective national regulations.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:**
Disposal must be made according to official regulations.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

- | | |
|---|----------------------------|
| · 14.1 UN number or ID number | |
| · ADR, IMDG, IATA | UN1671 |
| · 14.2 UN proper shipping name | |
| · ADR, IMDG, IATA | PHENOL, SOLID |
| · 14.3 Transport hazard class(es) | |
| · ADR | |
|  | |
| · Class | 6.1 (T2) Toxic substances. |
| · Label | 6.1 |
| · IMDG, IATA | |
|  | |
| · Class | 6.1 Toxic substances. |
| · Label | 6.1 |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | II |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Warning: Toxic substances. |
| · Hazard identification number (Kemler code): | 60 |
| · EMS Number: | F-A,S-A |
| · Stowage Category | A |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · Transport/Additional information: | |
| · ADR | |
| · Limited quantities (LQ) | 500 g |

(Contd. on page 10)

GB

Trade name: Phenol crystalline

(Contd. of page 9)

· Excepted quantities (EQ)	Code: E4 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 500 g
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	500 g
· Excepted quantities (EQ)	Code: E4 Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 1671 PHENOL, SOLID, 6.1, II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated explosives precursors** Substance is not listed.
- **Regulated poisons** Listed
- **Reportable explosives precursors** Substance is not listed.
- **Reportable poisons** Listed
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **Seveso category** H2 ACUTE TOXIC
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organisation
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 ATE: Acute toxicity estimate values
 Acute Tox. 3: Acute toxicity – Category 3
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Muta. 2: Germ cell mutagenicity – Category 2
 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

- *** Data compared to the previous version altered.**